# CATALOGUE

OF THE

# DIPTERA

# OF THE ORIENTAL REGION

MONS. J. M. F. BIGOT.

PART I.



[Reprinted from the Journal of the Asiatic Society of Bengal, Vol. LX, Part II, No. 3, 1891.]

# CALCUTTA:

PRINTED AT THE BAPTIST MISSION PRESS. 1891.



34 6805 5-6805

rcin.org.pl

# CATALOGUE

OF THE

# DIPTERA

# OF THE ORIENTAL REGION

MONS. J. M. F. BIGOT.

# PART I.

[Reprinted from the Journal of the Asiatic Society of Bengal, Vol. LX, Part II, No. 3, 1891.]

# CALCUTTA:

PRINTED AT THE BAPTIST MISSION PRESS. 1891.





Catalogue of the Diptera of the Oriental region by Mons. J. M. F. Bigot. Part I. Communicated by the Superintendent of the Indian Museum.\*

[Received Feb. 26th, 1891. Read March 3rd, 1891.]

# Order DIPTERA.

# Suborder HOMALOCERATI.

J. Bigot, adhuc ined.

# Division NEMATOCERATE.

J. Bigot, adhuc ined.: Nematocera, Meigen, Syst. Beschr., i, 1818.

# Family CULICIDÆ.

J. Bigot, adhuc ined.: Culiciformes, Meigen Syst. Beschr. i, 1818: Culicidæ, Latr. Fam. Natur. 1825: Macquart, S. à Buff. Dipt. i, 1834: Culicinæ, Zetterst., Ins. Laponica: Culicinæ Rondani, Prodr. i, 1856: Culicina, Schiner, Faun. Austr. Fliegen 1864.

<sup>\*</sup> This Catalogue was drawn up by M. Bigot at the suggestion of the late Mr. Atkinson and was to have formed part of the series of Catalogues of the Insecta of the Oriental Region, which have been discontinued since Mr. Atkinson's death.

#### Genus Anopheles.

Meigen, Syst. Beschr. i, 1818, p. 10: Culex, pt., Linn.

annularis, V. der Wulp, Notes Leyden Mus., vi, 1884, p. 249. Hab. Java.

barbirostris, id. ibid., p. 248. Hab. Java.

sinensis, Wiedem., Auss. Europ. Zweiß. Ins. Hamm. 1828, i, p. 47. Hab. China.

# Genus MEGARHINUS.

Rob.-Desvoidy, (alias Megarhina) Essai sur les Tipul.: Culex, pt.

splendens, (Culex) Wiedem., Zool. Magaz. iii, p. 2. Hab. Java.

#### Genus Culex.

Linn., Faun. Suec. 1761: Meigen, Illig. Magaz. ii, p. 260, (auct).

laniger, Wiedem., Auss. Europ. Zweift. Ins. Hamm, 1828, p. 5. Hab. Java.

fuscanus, id. ibid., p. 6. Hab. India.

fatigans, id. ibid., p. 10. Hab. India.

molestus, id. ibid., p. 542. Hab. Sumatra.

sitiens, id. ibid., p. 543. Hab. Sumatra.

vagans, id. ibid., p. 545. Hab. China.

amboinensis, (Melius Megarhina) Doleschall Natuur. Tijdschr. Nederl. Indië. ziv, 1857, p. 381.

Hab. Amboina.

aureostriatus, id. ibid., p. 385. Hab. Amboina.

cingulatus, id. Natuur. Tijdschr. Nederl. Indië, Batavia. x, 1856, p. 405. Hab. Java.

subulifer, id. ibid., xiv, 1857, p. 382. Hab. Amboina.

nero, id. ibid., xiv, 1857, p. 383. Hab. Java.

- setulosus, id. ibid., xiv, 1857, p. 384. Hab. Java.
- luridus, id. ibid., xiv, 1857, p. 384. Hab. Java.
- variegatus, id. ibid., zvii, 1858, p. 77. Hab. Amboina.
- annulipes, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 6. Hab. Singapore.
- imprimens, id. ibid., v, 1861, p. 144. Hab. Amboina.
- wontralis, id. ibid., v, 1861, p. 144. Hab. Amboina.
- dives, Schiner Novara Reise 1868, p. 31. Hab. Batavia.
- longipalpis, V. der Wulp, Tijdschr. Ent. xxii, blz. lxxvii, p. 9. Hab. Sumatra.
- crassipes, id. ibid., p. 9. Hab. Sumatra.

# Family CHIRONOMYDI.

J. Bigot, adhuc ined.: Chironomydæ, Schiner Faun. Austr. Flieg., ii, 1864, p. 574: Chironomides Westw., Introd. Entom. 1840: Tipul. Culiciform Macquart. S. à Buff. Dipt. i, 1834: Chironomides, Macquart, Dipt. Exot., 1838, p. 36.

# Genus CERATOPOGON.

- Meigen, Illig. Magaz. ii, 1803, p. 261: Culex pt. Linn.: Chironomus pt. Fabr, Fallen: Culicides, Latr.; Palpomyda, Prionomyda, Ceratopogon pt., Rossi.
- trichopus, Thomson, Eugenie Resa, 1868, p. 444. Hab. China.
- agas, Rondani, Ann. Mus. Civ. Genova, vii, 1875, p. 462. Hab. Borneo.

#### Genus CHIRONOMUS.

- Meigen, Illig. Magaz. ii, 1803, p. 260; Thalassomyia, pt. Schiner: Tipula, pt. Linn.
- venustus, Wiedem., Auss. Europ. Zweifl. Ins. Hamm. 1828, i, p. 547. Hab. China.

- vicarius, Walker, Ins. Saunders. Dipt. London, 1856, p. 423. Hab. India.
- cubiculorum, Doleschall, Natuur. Tijdschr. Nederl. Indie, Batavia, x, 1856, p. 405. Hab. Java.
- pictus, id. ibid., xiv, 1857, p. 386. Hab. Java.
- socius, Walker, List Dipt. Ins. Brit. Museum London, 1848, pt. 1, p. 16. Hab. India.

#### Genus TANYPUS.

- Meigen, *Illig. Magaz*, ii, 1803, p. 261: Tipula pt. Linn., Degeer: Chironcmus pt. Fabr.
- pardalis, Doleschall, Naturk. Tijdschr. Nederl. Indie, Batavia, v, 1856, p. 405. Hab. Java.
- melanurus, id. ibid., p. 405. Hab. Java.
- cyanomaculatus, id. ibid., p. 406. Hab. Java.
- nigrocinctus, id. ibid., p. 406. Hab. Java.
- ornatus, id. ibid., xiv, 1857, p. 385. Hab. Java.
- crux, Wiedem. Anal. Entom. 10, id., Ausser Europ. Zweifl. Ins. i, Hamm, 1828, p. 10.
  Hab. India.

#### Genus MACROPEZA.

- Meigen, Syst., Beschr., i, 1818, p. 87: Wiedem., Macq., Walker, Schiner, Rondani, (et auct.).
- gibbosa, Wiedem., Ausser Europ. Zweifl. Ins. pt. i, Hamm. 1828, p. 20. Hab. India.

# Family CECIDOMYDI.

Bigot, adhuc ined. 1891: Tipulariae Gallicoloe, Gallmücken, Meigen, Syst. Beschr. 1818, i, p. xxxiv: Cecidomyida, Westw. Introd. Enton. 1840: Cecidomydae, Schiner, Faun. Austr. Fliegen, ii, Wien, 1864, p. xviii.

# Genus CECIDOMYIA.

Meigen, Illig. Magaz. ii, 1803, p. 261, Latr., Wiedem., Macq., Schiner, Rondani, V. de Wulp, Walker, (et auct.): Tipula, pt. Degeer: Dasyneura pt Rondani: Oligotrophus, pt. Latr.

- deferenda, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 105. Hab. Sarawak.
- oryzae, Wood-Mason, *Indian Museum Notes*, i, p. 103, pl. vi, fig. 6. Hab. Bengal.

# Genus LASIOPTERA.

Meigen, Syst. Beschr. i, p. 88, 1818: Cecidomyia pt. Meigen: Tipula pt. Linn., Degeer.

bryonicæ, Schiner, Novara Reise 1868, p. 5. Hab. Madras.

Family DIXADI.

Bigot, adhuc ined. 1891.

Genus DIXA.

Meigen, Syst. Beschr. i, 1818, p. 216.

guttipennis, Thomson, Eugenie Resa 1868 p. 448. Hab. China.

# Family TIPULIDI.

Tipulidæ, Leach, in Sam. Comp. 1819: Tipulidæ, Schiner, Faun. Austr. Fliegen ii, 1864, p. 495: Tipulariæ, Latr. Hist. Nat. Ins. 1802: Tipularides, Leach Edinb. Encycl. 1815: Tipulides, Westw. Introd. Mod. Class. Insects, 1840.

#### Genus CTENOPHORA.

Meigen, Illig. Magaz. ii, 1803, p. 263: Wiedem., Macq., Schiner, Zetterst., Rondani, Ost.-Sacken pt.: Pselliophora, pt. Ost.-Sacken. Berlin Ent. Zeitschr. 1886, xxxi. p. 168: Tanyptera, Latr.: Dictenidia et Xyphura, pt. Brullé.: Ceroctena et Xyphura pt. Rondani.

melanura, Walker, List Dipt. Ins. Brit. Museum London, i, 1848, p. 78. Hab. Nepal.

xanthomelana, id. ibid., p. 77. Hab. India.

melanura, id. ibid., p. 78. Hab. Nepal.

# Genus PSELLIOPHORA.

Ost-Sacken, Berlin Entom. Zeitschr 1886, xxx, p. 168: Ctenophora pt. Meigen

1ceta (Ctenophora) Wiedem., Ausser. Europ. Zweifl. Ins. i, p. 40: (Tipula id. Fabr.) Hab. India.

- ardens, (Ctenophora), id. ibid., p. 39. Hab. Java.
- compedita, (Ctenophora) id. ibid., p. 39. Hab. Java.
- taprobanes, (Ctenophora) Walker List. Dipt. Ins. Brit. Mus. London, 1848, i, p. 77. Hab. Ceylon.
- fumiplena, (Ctenophora) Walker Ins. Saunders. Dipt. i, London, 1856, p. 449. Hab. China.
- javanica, (Ctenophora) Doleschall, Natuurk. Tijdsch. Nederl. Indie, Batavia, x, 1856, p. 406.
  Hab. Borneo, Java.
- chrysophila, (Ctenophora) Walker Journ. Proceed. Linn. Soc. Lond. i, 1857, p. 6. Hab. Singapore.
- curvipes, (Ctenophora) V. der Wulp, Notes Leyden Mus. vi, 1884, p. 254. Hab. Gorontalo, Java?
- annulosa, (Ctenophora) id. ibid., vii, p. 1. Hab. Java.
- rubra, Ost.-Sacken, Berlin. Entom. Zeitschr. xxx, 1886, p. 171. Hab. Laos.

# Genus PRIONOTA.

V. de Wulp, Notes Leyd. Mus. vii, 1885 p. 1.

nigriceps, V. der Wulp, id. ibid., p. 2. Hab. Java.

# Genus OLIGOMERA.

- Doleschall, Natuurk. Tijdschr. Nederl. Indie, Batavia xiv, 1857, p. 387, Eriocera, pt. Maquart.
- javensis, Doleschall, ibid, p. 387: Eriocera acrostacta, V. der Wulp. Hab. Java.

#### Genus Pachyrhina.

- Macquart, S. à. Buff. Dipt. i, 1834, p. 88: Tipula pt.: Nephrotoma, pt. Olivier, Encycl. Method.
- bombayensis, Macquart Dipt. Exot. Paris, 1855, 5th Suppl. p. 15. Hab. Bombay.
- delecta, Walker, Ins. Saunders. Dipt. Lond. 1856, p. 445, Tipula id. Macq. Hab. India.

- quadrivittata, V. der Wulp, Notes Leyden Mus. vi, 1885, p. 9. Hab. Java.
- triplasia, id. ibid., p. 10. Hab. Java.
- fasciata, Macquart, S. à Buff. Dipt., i, Paris, 1834, p. 90. Hab. Java.
- doleschalli, (Nomen Novum), Tipula javensis, Doleschall Natuur. Tijdschr. Nederl. Indie, Batavia. x, 1856, p. 406: Ost.-Sacken, Ann. Mus. Cin. Genova, xvi, 1881. p. 399: P. fasciata? Macq. (Vid. Suppl.). Hab. Java.

#### Genus TIPULA.

Linn., Faun. Suec. 1761, p. 430 (et auct).

- praepotens, Wiedem., Auss. Europ. Zweift. Ins. i, Hamm, 1828, p. 40. Hab. Java.
- monochroa, id. ibid., p. 41. Hab. Java.
- pedata, Wiedem., Dipt. Exot. i, p. 23. Hab Java.
- umbrina, Wiedem., Auss. Europ. Zweifl. Ins. i, Hamm. 1828, p. 49: T. congrua, Walker.

  Hab. Java.
- javana, id. *Dipt. Exot.* i, 1821, p. 27. Hab. Java.
- castanea, Macq. Dipt. Exot. i, 1838, p. 54. Hab. Java.
- venusta, Walker, List Dipt. Ins. British Museum, i, 1848, p. 64. Hab. Sylhet.
- fulvipennis, id. ibid., p. 67. Hab. Nepal.
- reposita, id. ibid., p. 67. Hab. Nepal.
- melanomera, id. ibid., p. 68. Hab. Nepal.
- nova, id. ibid., p. 71. Hab. Hong-Kong.
- vicaria, id. Ins. Saunders. Dipt. Lond. 1856, pt. i. p. 445. Hab. India.
- javensis, Doleschall, Natuur. Tijdschr. Nederl. Indie, Batavia, x, 1856, p. 406. Hab. Java.

- longicornis, id. ibid. xvii, 1858, p. 79. Hab. Amboina.
- vilis, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 108. Hab. Borneo.
- fumifinis, id. ibid., v, 1861, p. 145. Hab. Amboina.
- serrata, V. der Wulp, Notes Leyden Mus. vii, 1885, p. 5. Hab. Serahan?
- pilosula, id. ibid., p. 5. Hab. Java.
- leucopyga, id. ibid., p. 6. Hab. Java.
- brobdignagia, Westwood, Trans. Ent. Soc. Lond. 1876, p. 504.
  Hab. N. China.

# Genus Conosia.

V. der Wulp, Tijdschr. Entom. 1880, p. 159: Limnobia, pt. Wiedem.

- irrorata, V. der Wulp, loc. cit. p. 161: Limnobia id. Wiedem. Ausser Europ. Zweifl. Ins. i, Hamm, 1828, p. 574.
  Hab. Java.
- crux, id. ibid., p. 161: (Limnophila) Doleschall, Natuur. Tijdschr. Nederl. Indie, Batavia, xiv, 1858, p. 388.

  Hab. Java.

# Genus LIMNOPHILA.

- Macquart, S. & Buff. Dipt. i, 1834, 95: Limnobia pt. Meigen (et auctor). Limnomyia, Rondani Prodr. 1861, vi, p. 11.
- basilaris, Macquart, Dipt. Exot. i, Paris, 1838, p. 66: Limnobia id. Wiedem. Auss. Europ. Zweift. Ins. i, Hamm. 1828, p. 27. Hab. Java.
- bicolor, id. ibid., p. 66: Eriocera id. Ost.-Sacken. Hab Bengal.

# Genus ERIOCERA.

- Macquart, Dipt. Exot. pt. v, Paris. 1838, p. 74, Pterocosmus pt. Walker: Allarithmia, Loew, Bernst. Faun. 1850, p. 38: Physecrania? pt. Bigot, Ann. Soc. Ent. France, (3) vii, 1859, p. 123: Arrhenica, pt. Ost.-Sacken, Proceed. Acad. N. Sci. Philadelphia 1859, p. 243.
- selene, Ost-Sacken Ann. Mus. Civ. Genora, xvi, 1881, p. 406. Hab. Sumatra.

- humberti, Ost.-Sacken, Berlin. Ent. Zeitschr, xxxi, 1887, p. 221. Hab Ceylon.
- meleagris, id. ibid., p. 222. Hab. Ceylon.
- pachyrrhina, id. ibid., p. 222. Hab. Ceylon.
- crystalloptera, id. ibid., p. 222. Hab. Ceylon.
- albonotata, id. ibid., p. 223: Limnobia, id. Loew, Peter's Reise, p. 1. Hab. Ceylon.
- acrostacta, V. der Wulp, Notes Leyden Mus. vi, 1884 p. 11: Limnobia, id. Wiedem. Dipt. Exot. p. 1: Cylindrotoma, id. Macquart, Dipt. Exot., i, p. 168, Suppl. iii, p. 7: Oligoneura javensis, Doleschall. Hab. Java.
- albipunctata, V. der Wulp, Tijdschr. Entom. xxiii, p. 158. Hab. Java.
- ferruginosa, id. Notes Leyden Mus. vii, 1885, p. 13. Hab. Java.
- lunata, Westwood, Trans. Ent. Soc. London, 1881, pt. iii, p. 367. Hab. Sarawak.

# Genus Pterocosmus.

- Walker, List Dipt. Ins. Brit. Mus. pt. 1, Lond. 1848, p. 78: Eriocera, pt. V der Wulp.
- velutinus, Walker, loc. cit. p. 79. Hab. Nepal.
- hilpa, id. ibid., p. 79: Eriocera id., V. der Wulp, Notes Leyden Mus. vii, 1885 p. 12.
  Hab. Hong-kong.
- lunigerus, Walker, Jounn. Proceed. Linn. Soc. London, i, 1857, p. 107.
  Hab. Borneo.
- inflxus, id. ibid., p. 107. Hab. Borneo.
- optabilis, id. ibid., p. 107. Hab. Borneo.
- combinatus, id. ibid., p. 107. Hab. Borneo.
- dilutus, id. ibid., p. 108. Hab. Borneo.

# Genus LIMNOBIA.

- Meigen, Syst. Besch. 1818, p. 116: Tipula, pt. Linn., Fabr.: Limonia, Meigen, Illig. Mag vz., 1803: Dicranomyia, pt. et Limnobia, pt. Ost.-Sacken: Limnomyza, Rondani, Prodr. i, 1856: Glochina, pt. Meigen, Staeger.
- diana, Macq., S. à Buff. Dipt. Paris, 1834, p. 107. Hab. Bengal.
- sorbillans, Wiedem., Auss. Europ. Zweiß. Ins. Hamm, 1828, p. 551. Hab. Sumatra.
- trentepohlii, id. ibid, p. 551. Hab. Sumatra.
- apicalis, id. ibid., p. 551. Hab. Sumatra.
- bibula, id. ibid., p. 552. Hab. China.
- mesopyrrha, id. ibid., p. 26. Hab. Java.
- costalis, id. ibid., p. 37. Hab. India.
- sumatrensis, Macquart, Dipt. Exot. Puris, Suppl., iv, 1850, p. 16. Hab. Sumatra,
- aterrima, Walker, Ins. Saunders, Dipt. London, 1856, p. 434. Hab. India.
- substituta, id., List Dipt. Ins. Brit. Mus. London, i, 1848, p. 39. Hab. China.
- sanguinea, Doleschall, Natuur. Tijdschr Nederl. Indie, xiv, Batavia, 1857, p. 391. Hab. Java.
- impressa, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 106. Hab. Borneo.
- rubescens, id. ibid., p. 106. Hab. Borneo.
- pyrrhochroma, id. ibid., p. 106. Hab. Borneo.
- argentocineta, id. ibid., p. 107. Hab. Borneo.
- leucotelus, id. ibid., p. 6. Hab. Singapore.

plecioides, id. ibid., p. 6. Hab. Singapore.

vittitrons, id. ibid., v, 1861, p. 144. Hab. Amboina.

# Genus CYLINDROTOMA.

Macquart, S. à Buff. Dipt. Paris, 1834, p. 107: Limnobia, pt. (auctor.) albitarsis, Doleschall, Naturk. Tijdschr. Nederl. Indie xiv, Batavia, 1857, p. 391. Hab. Java.

# Genus PECILOSTOLA.

Loew, Wien. Entom. Monatschr., vii, 1863, p. 222.

pallens, V. der Wulp, Notes Leyden Mus. vii, 1885, p. 13. Hab. Java.

# Genus TANYDERUS.

Philippi, Verh. K. K. Z. B. Gesellsch. Wien, 1865, p. 780.

ornatissimus, Ost.-Sacken, Berlin. Ent. Zeitschr. xxxi, 1887, p. 228: Cylindrotoma id., Doleschall, Natuur. Tijdschr. Nederl. Indie, xvii, Batavia, 1858, p. 80. Hab. Amboina.

# Genus MEGISTOCERA.

Wiedem, Auss. Europ. Zweifl. Ins. i, Hamm, 1828, p. 55: Nematocera, olim Wiedem., Dipt. Exot. i, 1821, p. 29: Macquart, Schiner, Ost.-Sacken, etc.

fuscana, Wiedem. loc. cit. p. 55: Nematocera, id., Wiedem., Dipt. Exot. i, 1821. Hab. Java.

verticalis, id. ibid., p. 56. Hab. Java

atra, Doleschall, Naturk. Tijdschr. Nederl. Indie, xvii, Batavia, 1858, p. 80. Hab. Amboina.

# Genus TRICHOCERA.

Meigen, Illig. Magaz. ii, 1803, p. 262: Tipula, pt. (auctor.): Limonia, Latr., Macq., Walker, Schiner, Rondani, Ost.-Sacken, etc.

ocellata, Walker, Ins. Saunders. Dipt. London, 1856, p. 433. Hab. India.

# Genus DICRANOMYIA.

Stephens Catal. Brit. Ins. 1829.

saltens, Ost.-Sacken, Berlin. Ent. Zeitschr. xxxi, 1887, p. 172: Limnobia id. Doleschall, Naturk. Tijdschr. Nederl. Indie, xiv, Batavia, 1857, p. 390. Hab. Java.

# Genus LIBNOTES.

Westwood, Trans. Ent. Soc. London, 1876, p. 505.

thwaitesiana, Westw. loc. cit. p. 505. Hab. Ceylon.

#### Genus Mongoma.

Westwood, Trans. Ent. Soc. London, 1881, p. 364.

simplex, Ost.-Sacken, Ann. Mus. Civ. Genova, xvi, 1881, p. 402. Hab. Ternate.

pœciloptera, id. ibid, p. 403. Hab. Sumatra.

aurantiaca, id. Berlin. Ent. Zeitschr. xxxi, 1887, p. 181: Limnobia id. Doleschall, Naturk. Tijdschr. Nederl. Indie, Batavia, xvii, 1859, p. 78.

Hab. Java.

# Genus TEUCHOLABIS.

Osten-Sacken, Proceed. Acad. Nat. Sci. Philadelphia, 1859, p. 222.

bicolor, Ost.-Sacken, Ann. Mus. Civ. Genova, xvi, 1881, p. 404. Hab. Sumatra.

fenestrata, id Berlin. Ent. Zeitschr. xxxi, 1887, p. 188. Hab. Ceylon.

determinata, id. ibid., p. 188. Hab. Sula.

# Family MYCETOPHILIDI.

J. Bigot, adhuc ined. 1891: Mycetophilidæ, Schiner, Faun. Austr. Dipt. ii, Wien, 1864, p. 416: Mycetophilides, Westwood, Introd. Modern Class. Ins. 1840: Tipul. Fungicolæ, Latr.: Tipul. Fungivoræ, Meigen.

#### Genus MYCETOPHILA.

Meigen, Illig. Magaz. ii, 1803, p. 263: Sciara pt. Fabr.

bimaculata, Walker, List Dipt. Ins. Brit. Museum, i, London, 1848, p. 100. Hab. India.

pennipes, Osten-Sacken, Berlin. Entom. Zeitschr. xxxi, 1887, p. 204. Hab. Borneo.

#### Genus PLATYURA.

Meigen, Illig. Magaz. ii, 1803, p. 264: Sciophila, pt. Meigen: Sciara, pt. Fabr.: Ceroplatus, pt. Fabr., Latr.: Asindulum, pt. Latr.

Aenusta, Walker, Ins. Saunders. Dipt. i, London, 1856, p. 421. Hab. India.

# Genus GLAPHYROPTERA.

Winnertz, Verhandl. K. K. z. b. Gesellsch. Wien, xiii, 1863, p. 781: Leia pt.

winthemi, Lehmann, V. der Wulp, Reisen in Midden Sumatra iv, Natuurlijke Histoire, Diptera, p. 7.

Hab. Sumatra. Borneo?

#### Genus Sciophila.

Meigen, Syst. Beschr. i, 1818, p. 245: Platyura, pt. Fabr., Meig.: Asindulum, pt. Latr.

tropica, Doleschall, Naturk Tijdschr. Nederl. Indie, xiv, Batavia, 1857, p 392. Hab. Java.

# Genus SCIARA.

Meigen, Illig. Magaz. ii, 1803, p. 263: Tipula, pt. Linn., Fabr.: Hirtea, Fabr.: Molobrus, Latr.: Planetes, pt. Walker: Planetella, pt. Westwood.

femoralis, Doleschall, Naturk. Tijdschr. Nederl. Indie, xvii, Batavia, 1858, p. 78. Hab. Amboina.

indica, Walker, Ins. Saunders. Dipt. i, London, 1856, p. 418. Hab. India.

laticornis, id. Journ. Proceed. Linn. Soc. London, i, 1857, p. 105. Hab. Borneo.

solita, id. ibid., p. 105. Hab. Borneo.

rufithorax, V. der Wulp, Reisen in Midden Sumatra, iv, Natuurlijke Histoire, Diptera, p. 7.

Hab. Sumatra.

thomæ, id. ibid., p. 7. Hab. Sumatra.

sulcata, id. Tijdschr. Entom. xxx, 1886-87, p. 177. Hab. Java.

# Family RHYPHIDI.

J. Bigot, adhue ined. 1891: Rhyphida Schiner, Faun. Austr. Flieg. ii, Wien., 1864, p. xxiv.

#### Genus RHYPHUS.

Latr. Diction. iv, 1804: Tipula pt. Scopoli: Sciara, Rhagio, pt. Fabr.: Anisopus (olim) Meigen.

maculipennis. V. der Wulp, Notes Leyden Mus. vii, 1885, p. 14. Hab. Java.

# Family BIBIONIDI.

J. Bigot, adhuc. ined. 1891: Bibionidæ, Schiner, Faun. Austr. Flieg., 1864, p. xvi: Bibionides, Westwood, Introd. Mod. Class. Ins. 1840: Tipulariæ florales, Latr.: Tip. Muscæformes et Latipennes Meig.

# Genus Scathopse.

Geoffroy, *Hist. d. Ins.* ii, 1764, p. 545: Tipula pt. Linn., De Geer, Fabr.: Hirtea pt. Fabr. (Meig. olim): Ceria, Scopoli: Aspistes, Ruth. pt.

pusilla, Doleschall, Naturk. Tijdschr. Nederl. Indie, x, Batavia, 1859, p. 407. Hab. Java.

# Genus PLECIA.

Wiedem, Auss. Europ. Zweift. Ins., i, Hamm. 1828, p. 72: Crapitula, pt. Gimmerth. Bull. Moscou, 1845: Penthetria, pt. Meig. Illig. Magaz. ii, 1803, p. 264.

melanaspis, Ost.-Sacken, Ann. Mus. Civ. Genova, xvi, 1881, p. 307: Penthetria, id. Wiedem., Auss. Europ. Zweift. Ins. 1828, i, p. 72: Penth. japonica, id. ibid., p. 618.: Plecia ignicollis, Walker, List. Dipt. Ins. Brit. Mus. London, 1848, p. 116. Hab. Nepal.

fulvicollis, V. der Wulp, Tijdschr. Entom. xxiii, p. 156: Hirtea id. Fabr., Syst. Antl. p. 53: Plecia id., Wiedem., Auss. Europ. Zweiß. Ins. p. 73: Penthethria id. Wiedem. Dipt. Exot. i, p. 31: Plecia id. Macquart, S. à Buff. Dipt. i, p. 176: Plecia id. Doleschall Natuur. Tijdschr. Nederl. Indie, x, Batavia, 1839, p. 407: Plecia, id. Rondani, Ann. Mus. Civ. Genova, vii, p. 462: Plecia dorsalis, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 5.

Hab. Sumatra and Malay Peninsula.

tergorata, Rondani, Ann. Mus. Civ. Genova vii, 1875, p. 462. Наb. Borneo.

forcipata, Ost.-Sacken Ann. Mus. Civ. Genova, xvi, 1881, p. 397. Hab. Sumatra.

- subvarians, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 105. Hab. Sarawak.
- tristis, V. der Wulp, Notes Leyden Mus. vi, 1884, p. 251. Hab. Java.

#### Genus Bibio.

Geoffroy, *Hist. Ins.* ii, 1764, p. 571: Tipula pt. De Geer, Linn., Schin. Hirtea, pt. Fabr., Panzer., Meig., (olim), Zetterst., etc.

bicolor, Walker, List. Dipt. Ins. Brit. Mus. pt. i, London, 1848, p. 121. Hab. India.

rubicundus, V. der Wulp, Notes Leyden Mus. vi, 1884, p. 251. Hab. Java.

# Genus SIMULIUM.

Latreille, Buffon. Hist. Nat. Crust. et Ins. xiv, 1805, p. 294.

indicum, Becher Journ. Asiat. Soc. Bengal, liii, 1884, p. 199, pl. xiv. Hab. Assam.

# Division BRACHYCERATÆ.

J. Bigot, adhuc ined. 1891.

# Sub-division EMPODIATA.

J. Bigot, adhuc ined. 1891.

# Family TABANIDI.

J. Bigot, adhuc ined. 1891: Tabanii, Latr., 1802, Meigen, Macquart,
 Zetterst., Loew: Tabanidæ, Leach, 1819, Schiner, 1862: Tabanidæs,
 Latr. 1829: Tabanina, Tabaninæ, Rondani, 1846: Tabanidæ. Westwood, Walker: Tabanidii, J. Bigot (olim): Anthracina, Rafinesque:
 Sclerostoma, Dumèril: Tabanica, Burmeist.: Tabanites, Newman.

#### Genus Chrysops.

Meigen, Illig. Magaz., ii, 1803, p. 267: Tabanus pt.

ligatus, Walker, List Dipt. Ins. Brit. Museum, Lond., i, 1848, p. 195 Hab. Bengal.

- terminalis, id. ibid., p. 195. Hab. India.
- semicirculus, id. ibid., p. 196. Hab. India.
- stimulans, id., Ins. Saunders. Dipt. London, i, 1856, p. 73. Hab. India.
- pellucidus, Fabr. Syst. Antl., p. 113. Hab. Tranquebar.
- dispar, Fabr., Entom. System. Suppl., p. 567. Hab. India.
- fasciatus, Wiedem., Dipt. Exot., i, p. 103. Hab. Java.
- translucens, Macquart, Dipt. Exot. pt. i, 1838, p. 158. Hab. Java.
- flaviventris, id. ibid., Suppl. i, 1846, p. 44. Hab. India.
- rufitarsis, id. ibid., Suppl., ii, 1847, p. 14. Hab Java.
- fixissimus, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 112. Hab. Borneo.
- unizonatus, Rondani, Ann. Mus. Civ. Genova, vii, 1875, p. 459. Hab. Borneo.
- albicinctus, V. der Wulp, Tijdschr. Entom., xi, 1868, p. 103. Hab. Salawatti.
- striatus, id., Notes Leyden Mus., vii, 1885, p. 79. Hab. Amoy, China.
- clavicrus, Thomson, Eugenie Resa, Stockholm, 1858-68, p. 452.
  Hab. Malacca.

# Genus Pangonia.

- Latr., Hist. Nat. Crust. et Ins., iii, 1794, p. 437: Tanyglossa, Meigen Klassif. p, 174: Tabanus pt. Linn., Rossi, Fabr.: Bombylius, pt. Olivier, Encycl. Method.
- amboinensis, Fabr., Syst. Antl., p. 91. Hab. Amboina, Himalayas.
- longirostris, Walker, List Dipt. Ins. Brit. Museum, London, 1854. pt. v, Suppl p. 139.

Hab. India.

- taprobanes, id. ibid., Addenda, 1854, p. 324. Hab. Ceylon.
- rufa, Macquart, Dipt. Exot. Suppl. pt. iv, Paris, 1850, p. 18. Hab. Bombay.

# Genus Silvius.

Meigen, Syst. Besch. ii, 1820, p. 27, Wiedem., Macq.: Tabanus pt.

dimidiatus, V. der Wulp, *Tijdschr. Entom.*, xi, 1868, p. 102. Hab. Salawatti.

# Genus HEMATOPOTA.

Meigen, Illig. Magaz. ii, 1803, p. 267: Tabanus pt.

- cana, Walker, List Dipt. Ins. Brit. Mus. London, pt. i, 1848, p. 207. Hab. Bengal.
- atomaria, id. Journ. Proceed. Linn. Soc. London, i, 1857, p. 112. Hab. Borneo.
- irrorata, Macquart, Dipt. Exot. pt. i, 1838, p. 163. Hab. Java.
- lunulata, id. ibid., Suppl. ii, Suites, 1847, p. 15.
  Hab. Java.
- roralis, Fabr. Syst. Antl., p. 107. Hab. Tranquebar, Madras Pr.
- javana, Wiedem. Ausser. Europ. Zweift. Ins. i, Hamm, 1828, p. 218.
  Hab. Java.
- eingulata, id. ibid., p. 216. Hab. Java.
- borneana, Rondani, Ann. Mus. Civ. Genova, vii, 1875, p. 461. Hab. Borneo.
- pungens, Doleschall, Natuur. Tijdschr. Nederl. Indie, x, Batavia, 1856, p. 407. Hab. Java.
- cilipes, J. Bigot, Nouv. Archives Mus. Paris, (3) ii, 1890, p. 205. Hab. Laos.
- pachycera, id. ibid , p. 206. Hab. Laos.
- macrocera, id. ibid., p. 207. Hab. Laos.

# Genus Rhinomyza.

Wiedemann, Nov. Dipt. Gener., 1820, p. 8.

fusca, Wiedem. ibid. p. 8. Hab. Java.

# Genus DITYLOMYIA.

J. Bigot, Rev. et Mag. Zool. Guerin, (2) xi, 1859, p. 305.

ornata, J. Bigot, ibid. p. 306. Hab. Ceylon.

#### Genus TABANUS.

Linn., Faun. Suec. ii, 1761, p. 462, et auct.: Therioplectes pt. Zeller, Isis Agelanius, pt. Rondani, 1863: Atylotus, pt. Ost.-Sacken, 1876.

auricinetus, Macquart, Dipt. Evot. pt. i, Paris, 1838, p. 130. Hab. Indian Archipelago.

pusillus, id. ibid., p. 127. Hab. China.

albilateralis, id. ibid., p. 129. Hab. Java.

cœrulescens, id. ibid., p. 128. Hab. Java.

basalis, id. ibid., p. 126. Hab. India.

brunneus, id., S. à Buff. Dipt. i, Paris, 1834, p. 203. Hab. Java.

sumatrensis, id. ibid., p. 201. Hab. Sumatra.

consanguineus, id., *Dipt. Exot.* pt. i, 1838, p. 127. Hab. Malabar.

servillei, id. ibid., p. 128. Hab. India.

rubicundus, id. ibid., Supplem., 1846, p. 32. Hab. India.

dorsolinea, Wiedem., Analect. Entomol. p 22: T. striatus? Fabr. Hab. India.

virgo, id. ibid., p. 22. Hab. India.

orientalis, id. ibid, p. 21. Hab. India. 20

- rubidus, id., Dipt. Exot., i, p. 69. Hab. Bengal.
- ardens, id. ibid., p. 78. Hab. Java
- immanis, id. Ausser Europ. Zweift. Ins., i, Hamm, 1828, p. 123. Hab. Java.
- hybridus, id. ibid., p. 557. Hab. Macao, China.
- striatus, Fabr., Entom. System., iv, p. 371: T. dorsolinea? Wiedem. Hab. China; Java.
- rufiventris, id. ibid., p. 96. Hab. India.
- javanus, id. Syst. Antl., p. 103. Hab. Java.
- tenebrosus, Walker, List Dipt. Ins. Brit. Mus. London, v, Suppl. p. 242. Hab. Malabar.
- pyrausta, id., Zoologist, vii, 1849, Append. p. lxv. Hab. Java.
- vagus, id. ibid., Append. p. lxviii. Hab. Hong-Kong.
- megalops, id. List Dipt. Ins. Brit. Mus. London, v, Suppl. i, 1854, p. 247. Hab. Java.
- aurotestaceus, id. ibid., p. 247. Hab. Shanghai.
- orientis, id., List Dipt. Ins. Brit. Mus., pt. i, 1848, p. 152, and v, Suppl. i, 1854 Addenda, p. 328. Hab. Sikkim and Nepal.
- explicatus. id., ibid. v, Suppl. i. 1854 Addenda, p. 328. Hab. Sikkim.
- univentris, id. ibid., i, 1848, p. 151. Hab. Borneo.
- auriflamma, id. ibid., p. 155. Hab. Silhet, Assam.
- inscitus, id. ibid., p. 161. Hab. Silhet, Assam.
- mentitus, id. ibid., p. 162. Hab. China.
- sinicus, id. ibid., p. 163. Hab. Hong-Kong.

- amœnus, id. ibid., p. 163. Hab. Hong-Kong.
- internus, id. ibid., p. 164. Hab. Silhet.
- jucundus, id. ibid., p. 187. Hab. Hong-Kong.
- albulus, id. Ins. Saunders. Dipt. i, London, 1856, p. 46. Hab. India.
- pyrrhus, id. ibid., p. 47. Hab. India.
- albimedius, id. ibid., p. 48. Hab. India.
- tenens, id. ibid., p. 49. Hab. India.
- hilaris, id. ibid., p. 49. Hab. India.
- crassus, id. ibid., p. 50. Hab. India.
- vagus, id. ibid., p. 50. Hab. India, Java.
- rubiginosus, id. ibid., p. 51. Hab India.
- umbrosus, id. ibid., p. 52. Hab. India.
- hirtus, id. ibid., p. 52. Hab. India.
- puella, id. ibid., p. 53. Hab. India.
- sanguineus, id. ibid., p. 54. Hab. Java.
- obconicus, id. ibid., p. 54. Hab. India.
- consocius, id. ibid., p. 56. Hab. India.
- perlinea, id. ibid., p. 56. Hab. India.
- nigropictus, Macquart, *Dipt. Erot. Suppl.*, v, Paris, 1855, p. 24. Hab. India.
- yao, id. ibid., p. 24. Hab. North China. 22

- olausicella, (Bellardia, Rondani), id. ibid., p. 25. Hab. China.
- confucius, id. ibid., p. 26. Hab. China.
- hoang, id. ibid., p. 27. Hab. China.
- bubali, Doleschall, Natuur. Tijdschr. Nederl. Indie, Bataviu, x, 1856, p. 407. Hab. Java.
- monoculus, id. ibid., xvii, 1858, p. 85. Hab. Java.
- cinnamomeus, id. ibid., xvii, 1858, p. 84. Hab. Amboina.
- furunculigenus, id. ibid., xvii, 1858, p. 84. Hab. Amboina.
- abscondens, Walker, Trans. Ent. Soc. London, v, 1860, p. 275. Hab. Burmah.
- univentris, (nomen bis lectum) id. ibid., i, 1857, p. 9. Hab. Mt. Ophir; Borneo.
- partitus, id. ibid., i, 1857, p. 9. Hab. Singapore.
- nexus, id. ibid., i, 1857, p. 110. Hab. Borneo.
- fumifer, id. ibid., i, 1857, p. 110. Hab. Borneo.
- optatus, id. ibid., i, 1857, p. 111. Hab. Borneo.
- simplicissimus, id. ibid., i, 1857, p. 111. Hab. Borneo.
- serus, id. ibid., vi, 1862, p. 20. Hab. Ceram.
- justorius, Rondani, Ann. Mus. Civ. Genova, 1875, p. 455.
  Hab. Sarawak.
- alboscutatus, id. ibid., p. 456. Hab. Sarawak,
- pauper, id. ibid., p. 456. Hab. Sarawak.
- ignobilis, id. ibid., p. 457. Hab. Sarawak.

dives, id. ibid., p. 457. Hab. Sarawak.

fulvissimus, id. ibid., p. 458. - Hab. Sarawak.

variegatus, id. ibid., p. 458. Hab. Sarawak.

apicalis, id. ibid., p. 459. Hab. Sarawak.

geniculatus, V. der Wulp, Midden Sumatra, iv, Natuurlijke Histoire, Diptera, p. 16. Hab. Sumatra.

incultus, id. ibid, p. 17. Hab. Sumatra.

tristis, id. ibid., p. 17. Hab. Sumatra.

fumipennis, id. ibid., p. 18. Hab. Sumatra.

minimus, id. ibid., p. 18. Hab. Sumatra.

equestris, id., Notes Leyden Mus., vii, 1885, p. 77. Hab. Sumatra, Java and Borneo.

felderi, id. ibid., p. 78. Hab. Ning-po, China.

bucolicus, Schiner, Novara Reise, 1868, p. 81. Hab. Hong-Kong.

nicobarensis, id. ibid., p. 81. Hab. Nicobar Islands.

mandarinus, id. ibid., p. 83. Hab. Hong-Kong.

administrans, id. ibid., p. 83. Hab. Hong-Kong.

ceylanicus, id. ibid., p. 93. Hab. Ceylon.

leucosparsus, J. Bigot N. Archives Mus. Paris, (3) ii, 1890, p. 203.
Hab. Laos.

nigrotectus, (Bellardia, Rondani), id. ibid., p. 204. Hab. Laos.

melanognathus, (Atylotus, Ost.-Sacken), id. ibid., p. 204. Hab Laos.

laotianus, (Atylotus, Ost.-Sacken), id. ibid., p. 205. Hab, Laos.

# Family STRATIOMYDI.

J. Bigot, adhuc ined., 1891: Stratiomydæ, Latr. 1802: Xylophagei, Fall. 1810: Notachanta, Latr. 1817: id. Macquart, 1834: Notachanten, Brauer 1882: Stratiomydæ, Leach, 1819: id. Rondani, 1856: Stratiomydinæ, Rondani, 1856: Stratiomydes Latr. 1802: Xylophagi, Meigen, 1820: Xylophagidæ Steph., 1829: id. Rondani, 1856: id. Bigot.: Xylophagina, Rondani, 1836: Xylophagi, Walker, 1848: Beridæ, Westwood, 1840: Beridina, Rondani, 1836: Cænomydæ, Westwood, 1840: Cenomyna, Rondani, 1836: Sicarii, Latr., 1825: id. Macq. 1834: Polychæta, Zetterstedt.

# Genus XYLOPHAGUS.

Meigen, Illig. Magaz, ii, 1803, p. 266.

brunneus, Wiedem., Auss. Europ. Zweiß. Ins. pt. iv, Hamm, 1828, p. 85. Hab. India.

# Genus ANTIDOXION.

Sneller V. Vollenhoven, Versl. en Med. K. Akad. Wetensch. xv, 1863.

flavicorne, id. ibid. Hab. Java.

# Genus ACRASPIDEA.

Schiner in lit., V. Braner Zweifl. K. Mus. Wien., 1882, p. 75-19.

felderi, id. ibid., p. 76-20. Hab. Ceylon.

#### Genus SUBULA.

Meigen, Syst. Beschr. ii, 1820, p. 15: Xylophagus, pt.

calopodata, J. Bigot, Ann. Soc. Ent. France, (5) ix, 1879, p. 195. Hab. Ternats.

flavipes, Doleschall, Natuur. Tijdschr. Nederl. Indie, xvii, 1858, p. 85. Hab. Amboina.

vittata, id. ibid., p. 86. Hab. Amboina.

inamœna, (Solva) Walker, Journ. Proceed. Linn. Soc. London iv, 1860, p. 98: Ost.-Sacken, Ann. Mus. Genova, xvi, p. 407.
Hab. Java; Celebes.

# Genus THYLACOSOMA.

Schiner in lit., V. Brauer, Zweiftug. K. Mus. Wien., 1882, p. 77:? Ruba, pt. Walker,

amboinense, Schiner in lit., V. Brauer, loc. cit., p. 77. Hab. Amboina.

#### Genus Engonia.

Schiner, in lit., V. Brauer, Zweifl. Mus. Wien, 1882, p. 76: Negritomyia P J. Bigot, Ann. Soc. Ent. France, (5) ix, 1877, Bulletin, p. lxxiv.

aurata, Schiner, in lit., v. Brauer, loc. cit., p. 76. Hab. Amboina.

# Genus NEGRITOMYIA.

J. Bigot, Ann. Soc. Ent. France, 1877, Bulletin, p. lxxiv.

bilineata, (Stratiomys) Fabr. Syst. Antl. p. 79: V. der Wulp, Notes Leyd. Mus. vii. p. 59.
Hab. Java.

# Genus CLITELLARIA.

Meigen, Illig. Magaz., ii, 1803, p. 265: Ephippium, Latr., 1802: Rhaphiocera pt. Macq.: Stratiomys, pt. Fabr. Syst. Antl.

heminopla, Wiedem., Auss. Europ. Zweifl. Ins. ii, Hamm, 1830, p. 48: id., Zool. Mag. iii, p. 30.

Hab. Tranquebar, Madras Pr.

varia, Walker, List Dipt. Ins. Brit. Mus., pt. v, Suppl. i, London, 1854, p. 63. Hab. Java.

angusta, id. loc cit., p. 62: Ephippium id., Macq. S. à Buff. Dipt. i, 1834, p. 252. Hab. Java.

tenebrica, id., loc. cit., iii, 1849, p. 522. Hab. Java.

notabilis, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 108. Hab. Borneo.

bivittata, Wiedem., Auss. Europ. Zweift. Ins., ii, Hamm, 1830, p. 46: Stratiomys bilineata, Fabr. Syst. Antl.: Ephippium spinigerum ? Dolesch.: Rhaphiocera spinithorax Macq. Dipt. Ex.

Hab. Java.

spinigerum, (Ephippium) Doleschall, Natuur. Tijdschr. Nederl. Indie., x, 1856, p. 407: Engonia, id. Schin., Brauer. Hab. Java.

nigerrimum, (Ephippium) Doleschall, loc. cit., xvii, 1858, p. 81. Hab. Java.

flaviceps, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 7. Hab. Singapore.

# Genus BERIS.

Latr. Hist. Nat. Crust. et Ins. iii, 1802, p. 340: Stratiomys, pt. Fabr., Fall.: Actina, pt. Meig.

javana, Macquart, *Dipt. Exot.* i, pt. ii, Paris, 1838, p. 188. Hab. Java.

#### Genus CULCUA.

Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 109.

simulans, Walker, ibid., p. 109. Hab. Borneo, Malacca.

# Genus Cyclogaster.

Macquart, S. à Buff. Dipt. i, Paris, 1834, p. 256.

radians, Walker, Journ. Proceed. Linn., Soc. London, i, 1857, p. 7. Hab. Singapore.

# Genus HERMETIA.

Latr. Dict. Hist. Nat. xxiv, p. 192, Fabr., Wied., Macq.: Nemotelus, pt. Degeer.: Bibio, Syrphus, Mydas, pt. auctor.: Xylophagus, pt. Lamarck.

melanæsiæ, Bigot, Ann. Soc. Ent. France, (5) ix, 1879, p. 202: H. batjanensis, V. der Wulp, Tijdschr. Entom., xxiii, p. 161: Massicyta cerioides Walker. P. Hab. Indian Archipelago.

rufiventris, (Nomen bislectum) Walker, Journ. Proceed. Linn. Soc. London, v, 1861, p. 145.

Hab. Amboina.

#### Genus PHYLLOPHORA.

Macquart, Dipt. Exot. i, pt. i, Paris, 1838, p. 178.

angusta, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 7. Hab. Singapore.

#### Genus TINDA.

Walker, Journ. Proceed. Linn. Soc. London, iv, 1860, p 101.

indica, V. der Wulp, Notes Leyd. Mus., vii, 1885, p. 57: Biartes id. Walker, Ins. Saunders. Dipt., i, London, 1856, p. 87: Tinda modifera, Walker, Journ. Proceed. Linn. Soc. London, iv, 1860, p. 101: Phyllophora bispinosa, Thomson, Eugenie Resa, p. 454.
Hab. Java, Manilla.

# Genus EVAZA.

Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 109.

bipars, Walker, ibid., p. 110. Hab. Borneo.

flavipes, J. Bigot, Ann. Soc. Ent. France, (5) ix, 1879, p. 219.
Hab. India.

argyroceps, id. ibid., p. 219. Hab. The Moluccas.

fulviventris, id. ibid., p. 220. Hab. The Moluccas.

# Genus NERNA.

(nec Nerua) Walker, Journ. Proceed. Linn. Soc. London, iii, 1859, p. 81.

mollis, Ost.-Sacken, Ann. Mus. Civ. Genova, xvi, 1881, p. 415. Hab. Sumatra.

# Genus PTILOCERA.

Wiedem., Auss. Europ. Zweifl. Ins. ii, Hamm, 1830, p. 58: Stratiomys, pt.

quadridentata, Wiedem., loc. cit., p. 59. Hab. Java.

continua, Walker, Ins. Saunders. Dipt. London, 1856, pt. i, p. 84. Hab. Java.

smaragdina, Snellen v. Vollenhoven, Mem. Entomol. Pays-Bas, i, 1858, p. 92. Hab. Celebes.

amethystina, id. ibid., p. 92. Hab. Amboina, Java and Celebes.

fastuosa, Gerstaecker, *Linn. Ent.* xi, 1857, p. 333. Hab. Ceylon.

# Genus WALLACEA.

Doleschall, Naturk. Tijdschr. Nederl. Indie, xvii, Batavia, 1858, p. 82.

argentea, Doleschall, loc. cit., p. 82.

Hab. Amboina.

#### Genus ACRASPIDEA.

Brauer, Zweift. Kais. Mus. Wien, 1882, p. 19. felderi, Brauer, loc. cit., p. 20.

Hab. Ceylon.

# Genus ACANTHINA.

Wiedem., Auss. Europ. Zweifl. Ins. ii, Hamm, 1830, p. 50. azurea, Gerstaecker, Linn. Ent., xi, 1857, p. 335. Hab. Ceylon.

# Genus ELASMA.

Jaennicke, Neu. Exot. Dipter. Frankfurt, 1867, p. 14. acanthinoidea, Jaennicke, loc. cit., p. 15. Hab. Java.

# Genus PACHYGASTER.

Meigen, Illig. Magaz., ii, 1803, p. 266: Nemotelus, pt. Panzer: Sargus, pt. Fall.: Vappo, pt. Latr.

rufitarsis, Macquart, Dipt. Exot. Paris, Suppl. 1846, p. 57. Hab. Pondicherry.

#### Genus Toxocera.

Macquart, Dipt. Exot. Suppl. iv, Paris, 1850, p. 44. limbiventris, Macq., loc. cit., p. 45. Hab. Java.

# Genus Massicyta.

Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 8. bicolor, Walker, loc. cit., p. 8. Hab. Singapore.

#### Genus RHACHICERUS.

Haliday, List Dipt. Ins. 1848, p. 154.

zonotus, Ost. Sacken, Ann. Mus. Genova, xvi 1881, p. 408.

Hab. Sumatra.

# Genus STRATIOMYS.

- Geoffr. Hist. Nat. Ins. ii, 1764: Hirtea, pt. Scopoli: Hoplomyia, Zeller, Loew.
- barca, Walker, List Dipt. Ins. Brit. Museum, London, 1849, p. 530. Hab. China.
- garatas, id. ibid., p. 532. Hab. China.
- apicalis, id. ibid., Part v, 1854, p. 53. Hab. North China.
- lutatius, id. ibid., 1849, p. 532. Hab. Malacca.
- solennis, id., Ins. Saunders. Diptor. London, i, 1856, p. 79. Hab. India.
- inanimis, id., Trans., Ent. Soc. London, iv, 1857, p. 121. Hab. China.
- viridana, Wiedem., Auss. Europ. Zweift. Ins., ii, Hamm, 1830, p. 66. Hab. Bengal.
- minuta, Fabr., Entom. System., iv, p. 268. Hab. Tranquebar, Madras Pr.
- pusilla, id. ibid., p. 271

  Hab. Tranquebar, Madras Pr.
- rufipennis, Macquart, Dipt. Exot. Suppl. v. Paris, 1855, p. 42. Hab, South China.
- flavoscutellata, V. der Wulp, Notes Leyd. Mus. vii, 1885, p. 60. Hab. Java.

#### Genus ODONTOMYIA.

Meigen, Klassific. i, 1804, p. 123: Stratiomys, pt. apud V. der Wulp.

- viridana, Wiedem., Analect. Entom.: Macquart Dipt. Exot. Suppl., iv, 1850, p. 48. Hab. Bengal.
- consobrina, Macquart, Dipt. Exot., Suppl., ii, Paris, 1847, p. 16. Hab. Java.
- diffusa (Stratiomys) Walker, List Dipt. Ins. Brit. Mus., part v, London, 1854, p. 53. Hab. Java.
- mutica, V. der Wulp, Notes Leyd. Mus. vii, 1885, p. 62.
  Hab Ternate.
  30

# Genus CAMPEPROSOPA.

Macquart, Dipt. Exot. Suppl., iv, 1850, p. 46.

Havipes, Macquart, loc. cit., p. 46. Hab. Java.

munda, Osten-Sacken, Ann. Mus. Giv. Genova, 1881, p. 409. Hab. Sumatra.

# Genus CHRYSOCHLORA.

Latr. Fam. Natuur., 1825, Macquart: Sargus, pt.

baccoides, Rondani, Ann. Mus. Civ. Genova, vii, 1875, p. 454.
Hab. Sarawak.

vitripennis, Doleschall, Natuur. Tijdschr. Nederl. Indie., x, 1856, p. 408. Hab. Java.

# Genus MICROCHRYZA.

Loew, Verhandl. K. K. z. b. Gesellsch. Wien, 1855, p. 146: Sargus, pt. gemma, J. Bigot, Ann. Soc. Ent. France, (5) ix, 1879, p. 231.

# Genus TRICHOCHÆTA.

J. Bigot, Ann. Soc. Ent. France, (5) ix, Bullet. 1878 p. xxii, et errata.
nemoteloides, id. ibid., p. xxii.
Hab. Ternate.

#### Genus RAPHIOCERA.

Macquart, S. à Buff. Dipt., i, 1834, p. 253.

spinithorax, Macquart, Dipt. Exot. Suppl. ii, Paris, 1847, p. 17: Stratiomys bilineata, Fabr.: Clitellaria bivittata Wiedem.: Ephippium spinigerum, Doleschall: Hab. Java.

# Genus PTECTICUS.

Loew, Verhandl. K. K. z. b. Gesellsch. Wien., v, 1855, p. 142.

apicalis, Loew, loc. cit., p. 142. Hab. Pinang.

Hab. Ceylon.

cingulatus, id. ibid., p. 143. Hab. Pinang.

- australis, Schiner, Novara Reise, 1868, p. 65. Hab. Nicobar Islands.
- illustris, id. ibid., p. 65. Hab. Nicobar Islands.
- apicalis, (nom. bislectum), V. der Wulp, Notes Leyden Museum, vii, 1885, p. 62. Hab. Sumatra, Borneo.
- brevipennis, V. der Wulp, loc. cit., p. 63: Sargus id. Rondani, Ann. Mus. Civ. Genova, vii, 1875, p. 454.
  Hab. Borneo, Java.
- latifascia, V. der Wulp, loc. cit., p. 64: Sargus, id. Walker Journ. Proceed. Linn. Soc. London, i, 1857, p. 110.
  Hab. Borneo, Java.

# Genus SARGUS.

- Fabr. Entom. System. Suppl., 1798, p. 566: Rhagio pt. Schranck: Nemotelus pt. Degeer.
- gemmifer, Walker, List Dipt. Ins. Brit. Mus. iii, London, 1849, p. 516.
  Hab. Sylhet, Assam.
- tenebrifer, id. ibid., p. 517. Hab. China.
- aurifer, id. ibid., v. Suppl. i, London, 1854, p. 96. Hab. India, China.
- luridus, id. Journ. Proceed. Linn. Soc. London, i, 1857, p. 8. Hab. Singapore.
- quadrifasciatus, id. ibid., v, 1861, p. 146. Hab. Amboina.
- metallinus, Fabr., Syst. Antl., p. 258: V. der Wulp, Notes Leyd. Mus. vii, 1885, p. 65. Hab. Bengal; Java.
- longipennis, Wiedem., Analect. Entomol., p. 31. Hab. Java.
- insignis, Macquart, Dipt. Exot. Suppl., v, Paris, 1855, p. 16. Hab. China.
- viridiceps, id. ibid., 1856, p. 110: Ptecticus id. V. der Wulp. Hab. China.
- pallipes, Bigot, Ann. Soc. Ent. France, (5) xi, 1879, p. 222. Hab. Ceylon.
- magnificus, id. ibid., p. 222. Hab. Assam. 32

- rufus, Doleschall, Naturk. Tijdschr. Nederl. Indie, xvii, Batavia, 1858, p. 83.
  Hab. Amboina.
- ferrugineus, id. ibid., p. 83. Hab, Amboina.
- formicæformis, id. ibid., xiv, 1857, p. 403: Sarg. metallinus, V. der Wulp. Hab. Amboina.
- Ieoninus, Rondani, Ann. Mus. Civ. Genova, vii, 1875, p. 454.
  Hab. Sarawak.
- brevipennis, id. ibid., p. 454: Ptecticus id., V. der Wulp. Hab. Sarawak.
- lætus, V. der Wulp, Notes Leyden Mus. vii, 1885, p. 66.
  Hab. Sumatra.
- rubescens, id. ibid., p. 67. Hab. Gorontalo.

#### Genus Chrysomyia.

- Macquart, S. à Buff. Dipt. Paris, 1834, p. 262: Sargus, pt. et Nemotelus, pt. Degeer.
- flaviventris, Wiedem., Analect. Entom., p. 31: Sargus id., Macquart, Dipt. Exot.: Microchryza id., Ost.-Sacken, 1881.

  Hab. India, Java.
- affinis, id. ibid., p. 31: Sargus id., Macquart, Dipt. Exot. Hab. India.

#### Genus EUDMETA.

Wiedem., Auss. Europ. Zweifl. Ins. Hamm, 1830, p. 43: Hermetia, pt.

marginata, Wiedem., loc. cit., p. 45: Hermetia, id. Fabr., Syst. Antl. p. 63: Hermetia cingulata (vel cingulalis,) Guerin, Icon. Regn. Anim., p. 543.

Hab. Amboina, Java.

# Family NEMESTRINIDI.

J. Bigot, adhuc ined.: Nemestrinidæ, Macquart, S. à Buff. Dipt., i, Paris, 1834, p. 370: Anthracii et Bombyliarii, Latr.: Nemestrinidæ, Schiner Faun. Austr., Flieg., i, 1862, Wien., p. 44.

# Genus NEMESTRINA.

Latr. Hist. Nat. Crust. et Ins. xiv, 1804, p. 319.

Javana, Macquart Dipt. Exot. ii, pt., i, Paris, 1840, p. 17. Hab. Java.

# Genus Colax.

Wiedem., Analecta Entomol., 1824.

javanus, Wiedem., loc. cit., 1824, p. 18. Hab. Java.

variegatus, Westwood, Cabinet of Orient. Entomol., London, p. 38.
Hab. China.

# Family LEPTIDI.

J. Bigot, adhuc ined.: Leptides, Meigen, Syst. Beschr. ii, 1820: Leptidæ, Westw., Introd. Entom., 1840: Schiner, Faun. Austr. Flieg, i, Wien, 1862, p. 170.

# Genus LEPTIS.

Fabr., Syst. Antl., 1806, p. 9: Nemotelus, pt. Degeer: Rhagio, pt. Latr., Olivier, Walker.

decisa, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 15.
Hab. Malacca.

uniguttata, Ost. Sacken, Ann. Mus. Civ. Genova, xvi, 1881, p. 422. Hab. Sumatra.

#### Genus HELIOMYIA.

Doleschall, Naturk. Tijdschr. Nederl. Indie, xiv, Batavia, 1857, p. 402, Chrysopyla? pt.

ferruginea, Doleschall, loc. cit., p. 402. Hab. Amboina.

# Genus ATHERIX.

Meigen, Illig. Magaz., 1803, p. 271: Rhagio pt. Fabr.: Bibio, pt. Fabr.: Leptis, pt. Fabr., Fall.: Ibisia, pt. Rondani.

nigritarsis, Doleschall, Naturk. Tijdschr. Nederl. Indie, xvii, Batavia, 1858, p. 92. Hab. Amboina.

labiatus, Bigot, Bull Soc. Zool. France, xii, Paris, 1887, p. 21.
Hab. Ceylon.

#### Genus CHRYSOPILA.

Macquart, Dipt. Nord. France, i, 1827: Leptis, pt. Meigen: Rhagio, pt. Latr., Walker: Atherix, pt. Fabr.

maculipennis, Walker, Journ. Proceed. Linn. Soc. London, i, 1857, p. 118. Hab. Borneo.

lupina, Ost.-Sacken, Ann. Mus. Civ. Genova, 1881, p. 420. Hab. Sumatra.

uniguttata, id. ibid., p. 422. Hab. Sumatra.

ferruginosa, id. ibid., p. 419; Leptis id., Wiedem. Zool. Magaz., iii, p. 4. Hab. Java. and N. Ceram.

insularis, Schiner, Novara Reise, 1868, p. 119. Hab. Nicobar Islands.

# Genus Suragina.

Walker, Journ. Proceed. Linn. Soc. London, iv, 1860, p. 110.

signipennis, id. ibid., vi, 1862, p. 8. Hab. Ternate.

# Family CYRTIDI.

J. Bigot, adhuc ined.: Vesiculosidæ, Bigot (olim): Acrocera, Meigen, 1803: Acroceridæ, Leach, 1819: Acrocerinæ, Zetterst., 1842: Inflatæ, Latr., 1809: Cyrtidæ, Oncodinæ, Rondani, 1846.

# Genus Oncodes.

Latr. Precis, 1796, p. 154: Henops, Illiger, 1798, (alias Oggeodes.)

costalis, (Henops), Walker, Ins. Saunders. Dipt. London, i, 1856, p. 203. Hab, India.





